



# MISSISSIPPI DEPARTMENT OF PUBLIC SAFETY DRIVER SERVICES BUREAU



## APPLICATION FOR OFFICIAL WINDOW TINT INSPECTION STATION

P.O. Box 23045 | Jackson, Mississippi 39225-3045  
(601) 987-1367

APPLICATION \_\_\_\_\_ FOR DEPT USE ONLY \_\_\_\_\_

INVESTIGATION \_\_\_\_\_ DESIGNATION \_\_\_\_\_ PUBLIC \_\_\_\_\_

1. STATIONS NAME \_\_\_\_\_ TELEPHONE# \_\_\_\_\_

2. ADDRESS \_\_\_\_\_

**(STREET/NUMBER (P.O.BOX/RFD NO.) (CITY) (COUNTY) (STATE)**

3. WHEN COMPLETING THIS APPLICATION:

- ✓ I/WE, UNDERSTAND FULLY AND AGREE TO PRESERVE ALL RECORDS AS REQUIRED. THESE RECORDS ARE TO BE AVAILABLE TO ANY AUTHORIZED AGENT OF THE DEPARTMENT OF PUBLIC SAFETY AT ANY REASONABLE HOUR.
- ✓ DO YOU HAVE FACILITIES? \_\_\_\_\_ DO YOU POSSESS PROPER TOOLS AND MECHANICS COMPETANT TO INSPECT ALL VEHICLES AS PRESCRIBED BY INSTRUCTIONS PROVIDED BY THE WINDOW TINT INSPECTION BRANCH? \_\_\_\_\_
- ✓ WILL YOU MAINTAIN YOUR TESTING EQUIPMENT AS DIRECTED BY THE WINDOW TINT INSPECTION BRANCH? \_\_\_\_\_
- ✓ WILL ONE QUALIFIED INSPECTOR BE AVAILABLE 8 HOURS PER DAY TO PERFORM INSPECTIONS DURING EACH NORMAL WORK WEEK? \_\_\_\_\_
- ✓ WILL YOU RETURN ALL INSPECTION SUPPLIES AND MATERIALS ISSUED TO THE DEPARTMENT SHOULD YOU INVOLUNTARILY CLOSE AS AN OFFICIAL STATION? \_\_\_\_\_
- ✓ DO YOU PLEDGE YOURSELF AND YOUR EMPLOYEES TO CONDUCT HONEST, THOROUGH AND EFFICIENT INSPECTIONS IN ACCORDANCE WITH MS HOUSE BILL 982? \_\_\_\_\_
- ✓ DO YOU UNDERSTAND AND AGREE THAT AT THE FIRST KNOWLEDGE AND/OR CONSIDERATION OF THE POSSIBILITY OF BANKRUPTCY, FORECLOSURE, SALE, BUSINESS NAME CHANGE OR OTHER OPTIONS, THAT I (OWNER) WILL VOLUNTARILY NOTIFY THE WINDOW TINT INSPECTION BRANCH? \_\_\_\_\_
- ✓ DO YOU UNDERSTAND THAT ANY REPORTS OF VIOLATIONS OF THE TINT LAWS WILL REQUIRE INVESTIGATING? \_\_\_\_\_ IF YOU ARE FOUND GUILTY IT WILL RESULT IN THE SUSPENSION OF YOUR CERTIFICATE OF APPOINTMENT AS A WINDOW TINT STATION.

I, BEING SWORN, MAKING THIS APPLICATION FOR APPOINTMENT AS AN OFFICIAL WINDOW TINT INSPECTION STATION AS PROVIDED BY LAW AND THAT THE ANSWERS MADE HEREIN ARE TRUE AND CORRECT.

OWNER \_\_\_\_\_

NOTARY PUBLIC \_\_\_\_\_ MONTH \_\_\_\_\_ DAY OF \_\_\_\_\_, 20 \_\_\_\_\_



**MISSISSIPPI DEPARTMENT OF PUBLIC SAFETY  
DRIVER SERVICE BUREAU**



**TINT INSPECTION DIVISION**

**\*CHECK LIST\***

\*APPLICATION: TYPED OR LEGIBLY PRINTED, COMPLETED AND NOTORIZED (NO WHITE OUT OR SCRATCH OUTS)

\*PICTURES: INSIDE AND OUTSIDE OF INSPECTION AREA AND ALSO A PICTURE OF THE TINT METER

\*FEE: \$10.00 ANNUAL RENEWAL FEE MADE OUT TO MS. DEPT. OF PUBLIC SAFETY

WINDOW TINT METER (POCKET DETECTIVE) 1-800-440-3967  
MONROE INDUSTRIES

# POCKET DETECTIVE

## Window Tint and Reflectance Meter

The Pocket Detective Window Tint Meter offers unprecedented accuracy and reliability. This device offers solutions for both Visible Light Transmission (VLT) measurements along with Visible Light Reflectance (VLR) measurements. VLT is in reference to the percentage of light transmitted through glass and VLR is in reference to the amount of light reflected. The function of measuring reflectance is important for today's law enforcement and inspection facilities to insure proper visibility for the safety of the driver and public safety officials.

### Other Uses

The Pocket Detective can be used to measure optical properties of varying materials. Pocket Detectives have been used to measure opacity or clarity of glass and plastic substrates. Additionally the Pocket Detective will measure reflective values on glass and plastic including metalized or organic coatings.

### Features

- Patented Magna-Alignment™ Auto Alignment System
- Two meters in one package measures VLT & VLR
- Measures all windows of the vehicle (roll down and fixed glass)
- 1600 mAh internal battery
- Auto shut off
- Field re-calibration
- Push button operation
- LCD digital readout
- Panel-light function indicators
- Easy to operate

### Specifications

Size:	4.0" x 3.0" x 3.0"
Weight:	8 oz. with battery
Measured Bandpass Range:	520nm - 630nm
Stray Light:	< 1%
Power:	J Type
Battery Life:	Minimum 1000 measurements
Measurement Time:	4 seconds or less
Measurement Accuracy:	±2% of Full Scale (Transmission) ±3% of Full Scale (Reflectance)
Repeatability:	±1 percentage point
Humidity Range:	0 - 99% Non-Condensing
Temperature Range:	0 - 100°F
Lamp Life:	10 years
Sample Size:	2" x 2" minimum
Sample Thickness Range:	.125" to .20"
Warranty:	One Year



Shown with Transmission & Reflectance Magna Alignment Discs and Test Glass.



68 South Squirrel Road • Auburn Hills, MI 48326-3249  
Phone: 800-440-3967 • Fax: 800-453-9683  
Email: sales@askmonroe.com

[www.AskMonroe.com](http://www.AskMonroe.com)